Journal of Biomedical Materials Research
Author Index—Volume 59

Abe, Y. See Ziani-Cherif, H., 386
Ajayan, P. M. See Supronowicz, P. R., 499
Akaike, T. See Park, K.-H., 591
Akisue, T.
—; Bauer, T. W.; Farver, C. F.; Mochida, Y.: The effect of particle wear debris on NFκB activation and pro-inflammatory cytokine release in differentiated THP-1 cells, 507
Akkus, O.:
—; Comments on acoustic emission visualization of bone cement fatigue locations, 398
Amabili, M. See Nuño, N., 191
Amadio, P. C. See Momose, T., 219
An, K.-N. See Momose, T., 219
Anderson, J. M. See Collier, T. O.,136
Anseth, K. S. See Bryant, S. J., 63
Anthony, D. C. See Kohane, D. S., 450
Antonucci, J. M. See Skrtic, D., 597
Arciola, C. R.
—; Baldassarri, L.; Montanaro, L.: In catheter infections by *Staphylococcus epidermidis* the intercellular adhesion (*ica*) locus is a molecular marker of the virulent slime-producing strains, 557
Arulanandam, B. P. See Supronowicz, P. R., 499
Arvidson, K. See Mustafa, K., 655
Askew, M. J. See Mostardi, R. A., 605
Athanasiou, K. A. See Temenoff, J. S., 429
Aubertin, F. See Velten, D., 18

Baldassarri, L. See Arciola, C. R., 557
Basoli, A.
—; Bordi, F.; Cametti, C.; Gili, T.: Structural alteration of erythrocyte cell membrane in presence of artificial prostheses: a radiowave dielectric spectroscopy study, 100
Bauer, T. W. See Akisue, T., 507
Baumann, M. See Winblade, N. D., 618
Becker, D.
—; Geißler, U.; Hempel, U.; Bierbaum, S.; Scharnweber, D.; Worch, H.; Wenzel, K.-W.: Proliferation and differentiation of rat calvarial osteoblasts on type I collagen-coated titanium alloy, 516
Bessho, K. See Ong, J. L., 184
Bezemer, J. See Du, C., 535
Biehl, V. See Velten, D., 18
Bierbaum, S. See Becker, D., 516
Bigi, A.
—; Boanini, E.; Panzavolta, S.; Roveri, N.; Rubini, K.: Bonelike apatite growth on hydroxyapatite–gelatin sponges from simulated body fluid, 709
Birr, E. See Kapanen, A., 78
Bizios, R. See Ergun, C., 305
Bizios, R. See Supronowicz, P. R., 499
Bizios, R. See Webster, T. J., 312
Blom, E. J.
—; Klein-Nulend, J.; Wolke, J. G. C.; van Waas, M. A. J.; Driessens, F. C. M.; Burger, E. H.: Transforming growth factor-β1 incorporation in a calcium phosphate bone cement: Material properties and release characteristics, 265
Boanini, E. See Bigi, A., 709
Böhling, T. See Vuola, J., 152
Bonfield, W. See Gibson, I. R., 697
Bordi, F. See Basoli, A., 100
Breitig, D. See Ziegler, J., 422
Breme, J. See Velten, D., 18
Bright, F. V. See Sigurdson, L., 357
Brunworth, R. T. See Skrtic, D., 597
Bryant, S. J.
—; Anseth, K. S.: Hydrogel properties influence ECM production by chondrocytes photoencapsulated in poly(ethylene glycol) hydrogels, 63
Burger, E. H. See Blom, E. J., 265

Calandrelli, L.
—; Immirzi, B.; Malinconico, M.; Orsello, G.; Volpe, M. G.; Della Ragione, F.; Zappia, V.; Oliva, A.: Biocompatibility studies on biodegradable polyester-based composites of human osteoblasts: A preliminary screening, 611
Cametti, C. See Basoli, A., 100
Carnes, D. L. See Ong, J. L., 184
Carney, D. E. See Sigurdson, L., 357
Carson, R. J. See Salacinski, H. J., 207
Castro, M. R. See Caudillo, M., 378
Caudillo, M.
—; Herrera–Trejo, M.; Castro, M. R.; Ramírez, E.; González, C. R.; Juárez, J. I.: On carbide dissolution in an as-cast ASTM F-75 alloy, 378
Cavin, R. See Ong, J. L., 184
Chang, K.-Y. See Liao, C.-J., 676
Chang, S. J.
—; Lee, C. H.; Hsu, C. Y.; Wang, Y. J.: Biocompatible microcapsules with enhanced mechanical strength, 118
Chang, Y.-C. See Huang, F.-M., 460
Chang, Y.-C. See Tai, K.-W., 73
Charlebois, S. J.
—; Daniels, A. U.; Smith, R. A.: Metabolic heat production as a measure of macrophage response to particles from orthopedic implant materials, 166
Chen, C.-F. See Liao, C.-J., 676
Chen, J.-H. See Liao, C.-J., 676
Chen, L.-T. See Sun, J.-S., 246
Chen, Y. See Feng, B., 12
Chiang, S.-F. See Liao, C.-J., 676
Chou, M.-Y. See Huang, F.-M., 460
Christian, P. See Gough, J. E., 481
Chu, C.-C. See Zhang, Y., 318
Cohn, D.
—; Stern, T.; Fernanda González, M.; Epstein, J.: Biodegradable poly(ethylene oxide)/poly(ε-caprolactone) multiblock copolymers, 273
Collier, T. O.
—; Anderson, J. M.; Kikuchi, A.; Okano, T.: Adhesion behavior of monocytes, macrophages and foreign body giant cells on poly (N-isopropylacrylamide) temperature-responsive surfaces, 136
Cooper, E. See Scotchford, C. A., 84
Cui, F. Z. See Du, C., 535

Journal of Biomedical Materials Research
Author Index—Volume 59

Abe, Y. See Ziani-Cherif, H., 386
Ajayan, P. M. See Supronowicz, P. R., 499
Akaike, T. See Park, K.-H., 591
Akisue, T.
—; Bauer, T. W.; Farver, C. F.; Mochida, Y.: The effect of particle wear debris on NFκB activation and pro-inflammatory cytokine release in differentiated THP-1 cells, 507
Akkus, O.:
—; Comments on acoustic emission visualization of bone cement fatigue locations, 398
Amabili, M. See Nuño, N., 191
Amadio, P. C. See Momose, T., 219
An, K.-N. See Momose, T., 219
Anderson, J. M. See Collier, T. O.,136
Anseth, K. S. See Bryant, S. J., 63
Anthony, D. C. See Kohane, D. S., 450
Antonucci, J. M. See Skrtic, D., 597
Arciola, C. R.
—; Baldassarri, L.; Montanaro, L.: In catheter infections by *Staphylococcus epidermidis* the intercellular adhesion (*ica*) locus is a molecular marker of the virulent slime-producing strains, 557
Arulanandam, B. P. See Supronowicz, P. R., 499
Arvidson, K. See Mustafa, K., 655
Askew, M. J. See Mostardi, R. A., 605
Athanasiou, K. A. See Temenoff, J. S., 429
Aubertin, F. See Velten, D., 18

Baldassarri, L. See Arciola, C. R., 557
Basoli, A.
—; Bordi, F.; Cametti, C.; Gili, T.: Structural alteration of erythrocyte cell membrane in presence of artificial prostheses: a radiowave dielectric spectroscopy study, 100
Bauer, T. W. See Akisue, T., 507
Baumann, M. See Winblade, N. D., 618
Becker, D.
—; Geißler, U.; Hempel, U.; Bierbaum, S.; Scharnweber, D.; Worch, H.; Wenzel, K.-W.: Proliferation and differentiation of rat calvarial osteoblasts on type I collagen-coated titanium alloy, 516
Bessho, K. See Ong, J. L., 184
Bezemer, J. See Du, C., 535
Biehl, V. See Velten, D., 18
Bierbaum, S. See Becker, D., 516
Bigi, A.
—; Boanini, E.; Panzavolta, S.; Roveri, N.; Rubini, K.: Bonelike apatite growth on hydroxyapatite–gelatin sponges from simulated body fluid, 709
Birr, E. See Kapanen, A., 78
Bizios, R. See Ergun, C., 305
Bizios, R. See Supronowicz, P. R., 499
Bizios, R. See Webster, T. J., 312
Blom, E. J.
—; Klein-Nulend, J.; Wolke, J. G. C.; van Waas, M. A. J.; Driessens, F. C. M.; Burger, E. H.: Transforming growth factor-β1 incorporation in a calcium phosphate bone cement: Material properties and release characteristics, 265
Boanini, E. See Bigi, A., 709
Böhling, T. See Vuola, J., 152
Bonfield, W. See Gibson, I. R., 697
Bordi, F. See Basoli, A., 100
Breitig, D. See Ziegler, J., 422
Breme, J. See Velten, D., 18
Bright, F. V. See Sigurdson, L., 357
Brunworth, R. T. See Skrtic, D., 597
Bryant, S. J.
—; Anseth, K. S.: Hydrogel properties influence ECM production by chondrocytes photoencapsulated in poly(ethylene glycol) hydrogels, 63
Burger, E. H. See Blom, E. J., 265

Calandrelli, L.
—; Immirzi, B.; Malinconico, M.; Orsello, G.; Volpe, M. G.; Della Ragione, F.; Zappia, V.; Oliva, A.: Biocompatibility studies on biodegradable polyester-based composites of human osteoblasts: A preliminary screening, 611
Cametti, C. See Basoli, A., 100
Carnes, D. L. See Ong, J. L., 184
Carney, D. E. See Sigurdson, L., 357
Carson, R. J. See Salacinski, H. J., 207
Castro, M. R. See Caudillo, M., 378
Caudillo, M.
—; Herrera–Trejo, M.; Castro, M. R.; Ramírez, E.; González, C. R.; Juárez, J. I.: On carbide dissolution in an as-cast ASTM F-75 alloy, 378
Cavin, R. See Ong, J. L., 184
Chang, K.-Y. See Liao, C.-J., 676
Chang, S. J.
—; Lee, C. H.; Hsu, C. Y.; Wang, Y. J.: Biocompatible microcapsules with enhanced mechanical strength, 118
Chang, Y.-C. See Huang, F.-M., 460
Chang, Y.-C. See Tai, K.-W., 73
Charlebois, S. J.
—; Daniels, A. U.; Smith, R. A.: Metabolic heat production as a measure of macrophage response to particles from orthopedic implant materials, 166
Chen, C.-F. See Liao, C.-J., 676
Chen, J.-H. See Liao, C.-J., 676
Chen, L.-T. See Sun, J.-S., 246
Chen, Y. See Feng, B., 12
Chiang, S.-F. See Liao, C.-J., 676
Chou, M.-Y. See Huang, F.-M., 460
Christian, P. See Gough, J. E., 481
Chu, C.-C. See Zhang, Y., 318
Cohn, D.
—; Stern, T.; Fernanda González, M.; Epstein, J.: Biodegradable poly(ethylene oxide)/poly(ε-caprolactone) multiblock copolymers, 273
Collier, T. O.
—; Anderson, J. M.; Kikuchi, A.; Okano, T.: Adhesion behavior of monocytes, macrophages and foreign body giant cells on poly (N-isopropylacrylamide) temperature-responsive surfaces, 136
Cooper, E. See Scotchford, C. A., 84
Cui, F. Z. See Du, C., 535

Dal Ponte, D. B. See Kidd, K. R., 682
Daniels, A. U. See Charlebois, S. J., 166
de Groot, K. See Du, C., 535
Dean, D. See Fisher, J. P., 547
Della Ragione, F. See Calandrelli, L., 611
Demers, C. N.
—; Tabrizian, M.; Petit, A.; Hamdy, R. C.; Yahia, L'H.: Effect of experimental parameters on the *in vitro* release kinetics of transforming growth factor β1 from coral particles, 403
DeSilva, S. P. See VandeVord, P. J., 585
DiMilla, P. A. See Goldstein, A. S., 665
Ding, C. See Liu, X., 259
Doremus, R. H. See Ergun, C., 305
Doremus, R. H. See Webster, T. J., 312
Downes, S. See Scotchford, C. A., 84
Driessens, F. C. M. See Blom, E. J., 265
Du, C.
—; Klasens, P.; Haan, R. E.; Bezemer, J.; Cui, F. Z.; de Groot, K.; Layrolle, P.: Biomimetic calcium phosphate coatings on Polyactive® 1000/70/30, 535

Eanes, E. D. See Skrtic, D., 597
Eberhardt, A. W. See Sierra, D. H., 1
Edwards, A. See Salacinski, H. J., 207
Epstein, J. See Cohn, D., 273
Ergun, C. See Webster, T. J., 312
Ergun, C.
—; Webster, T. J.; Bizios, R.; Doremus, R. H.: Hydroxylapatite with substituted magnesium, zinc, cadmium, and yttrium. I. Structure and microstructure, 305

Farver, C. F. See Akisue, T., 507
Feng, B.
—; Chen, Y.; Zhang, X. D.: Effect of water vapor treatment on apatite formation on precalcified titanium and bond strength of coatings to substrates, 12
Fernanda González, M. See Cohn, D., 273
Fisher, J. P.
—; Vehof, J. W. M.; Dean, D.; van der Waerden, J. P. C. M.; Holland, T. A.; Mikos, A. G.; Jansen, J. A.: Soft and hard tissue response to photocrosslinked poly(propylene fumarate) scaffolds in a rabbit model, 547
Fujimoto, Y. See Hisatome, T., 490

Ganazzoli, F. See Mantero, S., 329
Gardella, J. A., Jr. See Sigurdson, L., 357
Geißler, U. See Becker, D., 516
Gibson, I. R.
—; Bonfield, W.: Novel synthesis and characterization of an AB-type carbonate-substituted hydroxyapatite, 697
Gilbert, J. L. See Hasenwinkel, J. M., 411
Gili, T. See Basoli, A., 100
Gilmore, C. P. See Scotchford, C. A., 84
Goldstein, A. S.
—; DiMilla, P. A.: Effect of adsorbed fibronectin concentration on cell adhesion and deformation under shear on hydrophobic surfaces, 665
González, C. R. See Caudillo, M., 378
Göransson, H. See Vuola, J., 152
Gough, J. E.
—; Christian, P.; Scotchford, C. A.; Rudd, R. D.; Jones, I. A.: Synthesis, degradation, and *in vitro* cell responses of sodium phosphate glasses for craniofacial bone repair, 481
Grainger, D. W. See Hu, Y., 563
Grambole, D. See Pham, M. T., 716
Groppetti, R. See Nuño, N., 191
Grottkau, B. E.
—; Noordin, S.; Shortkroff, S.; Schaffer, J. L.; Thornhill, T. S.; Spector, M.: Effect of mechanical perturbation on the release of PGE_2 by macrophages *in vitro*, 288
Günther, K.-P. See Ziegler, J., 422

Haan, R. E. See Du, C., 535
Hall, L., III See Sigurdson, L., 357
Hall, M. W.
—; Solen, K. A.: Hypothermia-induced platelet aggregation in human blood in an *in vitro* model: The dominant role of blood–material interactions, 528
Hamdy, R. C. See Demers, C. N., 403
Hamilton, G. See Salacinski, H. J., 207
Hanawa, T. See Yamamoto, A., 176
Hao, J.-Y. See Mi, F.-L., 438
Hard, R. See Sigurdson, L., 357
Harrington, J. R. See Momose, T., 219
Hasenwinkel, J. M.
—; Lautenschlager, E. P.; Wixson, R. L.; Gilbert, J. L.: Effect of initiation chemistry on the fracture toughness, fatigue strength, and residual monomer content of a novel high-viscosity, two-solution acrylic bone cement, 411
Hatori, K. See Kamakura, S., 29
Hatton, P. V. See Miller, C. A., 473
Hempel, U. See Becker, D., 516
Hench, L. L. See Sepulveda, P., 340
Herrera–Trejo, M. See Caudillo, M., 378
Herrmann, F. See Pham, M. T., 716
Hicks, W., Jr. See Sigurdson, L., 357
Hisatome, T.
—; Yasunaga, Y.; Ikuta, Y.; Fujimoto, Y.: Effects on articular cartilage of subchondral replacement with polymethylmethacrylate and calcium phosphate cement, 490
Hoffman, A. S. See Winblade, N. D., 618
Holland, T. A. See Fisher, J. P., 547
Hollinger, J. O. See Hu, Y., 563
Hou, Y. See Sigurdson, L., 357
Hozumi, A. See Zhu, P. X., 294
Hsieh, Y.-S. See Huang, F.-M., 460
Hsu, C. Y. See Chang, S. J., 118
Hu, Y.
—; Grainger, D. W.; Winn, S. R.; Hollinger, J. O.: Fabrication of poly(α-hydroxy acid) foam scaffolds using multiple solvent systems, 563
Huang, F.-M. See Tai, K.-W., 73
Huang, F.-M.
—; Hsieh, Y.-S.; Tai, K.-W.; Chou, M.-Y.; Chang, Y.-C.: Induction of c-*fos* and c-*jun* protooncogenes expression by formaldehyde-releasing and epoxy resin-based root-canal sealers in human osteoblastic cells, 460
Huang, M.-S. See Tai, K.-W., 73
Huang, Y.-B. See Mi, F.-L., 438
Huang, Y.-C. See Sun, J.-S., 246
Hubbell, J. A. See Winblade, N. D., 618

Ichino, R. See Kuroda, K., 390
Ikuta, Y. See Hisatome, T., 490
Imachi, K. See Ziani-Cherif, H., 386
Immirzi, B. See Calandrelli, L., 611
Inoue, S. See Yoshioka, M., 56
Ishikawa, M. See Zhu, P. X., 294

Jaffer, F. See Woo, G. L. Y., 35
James, P. F. See Miller, C. A., 473
Janke, A. See Nitschke, M., 632
Jansen, J. A. See Fisher, J. P., 547
Jones, I. A. See Gough, J. E., 481
Jones, J. R. See Sepulveda, P., 340
Juárez, J. I. See Caudillo, M., 378

Kagayama, M. See Kamakura, S., 29
Kamakura, S.
—; Sasano, Y.; Shimizu, T.; Hatori, K.; Suzuki, O.; Kagayama, M.; Motegi,

K.: Implanted octacalcium phosphate is more resorbable than β-tricalcium phosphate and hydroxyapatite, 29
Kapanen, A.
—; Ryhänen, J.; Birr, E.; Väänänen, H. K.; Tuukkanen, J.: Bone morphogenetic protein 3b expressing reindeer antler, 78
Kataoka, H. See Nishikori, T., 201
Katsube, K. See Nishikori, T., 201
Kawasaki, K. See Nishikori, T., 201
Kellar, R. S. See Kidd, K. R., 682
Kessler, S. See Ziegler, J., 422
Kidd, K. R.
—; Dal Ponte, D. B.; Kellar, R. S.; Williams, S. K.: A comparative evaluation of the tissue responses associated with polymeric implants in the rat and mouse, 682
Kidd, K. R.
—; Nagle, R. B.; Williams, S. K.: Angiogenesis and neovascularization associated with extracellular matrix-modified porous implants, 366
Kikuchi, A. See Collier, T. O., 136
Kim, C.-K. See Park, J.-S., 144
Kim, H. D.
—; Valentini, R. F.: Retention and activity of BMP-2 in hyaluronic acid-based scaffolds *in vitro*, 573
Kim, J. M. See Park, J.-S., 144
Kim, K. M.
—; Cells, rather than extracellular matrix, nucleate apatite in glutaraldehyde-treated vascular tissue, 639
Kinney, R. C. See Kohane, D. S., 450
Kitamura, Y. See Shinzato, S., 225
Klasens, P. See Du, C., 535
Klein-Nulend, J. See Blom, E. J., 265
Kobayashi, T.
—; Nakamura, S.; Yamashita, K.: Enhanced osteobonding by negative surface charges of electrically polarized hydroxyapatite, 595
Kohane, D. S.
—; Lipp, M.; Kinney, R. C.; Anthony, D. C.; Louis, D. N.; Lotan, N.; Langer, R.: Biocompatibility of lipid-protein-sugar particles containing bupivacaine in the epineurium, 450
Kohyama, Y. See Yamamoto, A., 176
Kokubo, T. See Miller, C. A., 473
Kokubo, T. See Shinzato, S., 225
Koumoto, K. See Zhu, P. X., 294
Kovacik, M. W. See Mostardi, R. A., 605
Kuriwaka, M. See Nishikori, T., 201
Kuroda, K.
—; Ichino, R.; Okido, M.; Takai, O.: Hydroxyapatite coating on titanium by thermal substrate method in aqueous solution, 390

Lambrechts, P. See Yoshioka, M., 56
Langer, R. See Kohane, D. S., 450
Lautenschlager, E. P. See Hasenwinkel, J. M., 411
Layrolle, P. See Du, C., 535
LeBaron, R. G. See Temenoff, J. S., 429
Lee, C. H. See Chang, S. J., 118
Lee, K. C. See Park, K.-H., 591
Leggett, G. J. See Scotchford, C. A., 84
Lemons, J. E. See Sierra, D. H., 1
Leygraf, C. See Mustafa, K., 655
Liao, C.-J.
—; Chen, C.-F.; Chen, J.-H.; Chiang, S.-F.; Lin, Y.-J.; Chang, K.-Y.: Fabrication of porous biodegradable polymer scaffolds using a solvent merging/particulate leaching method, 676
Lin, F.-H. See Sun, J.-S., 246
Lin, Y.-J. See Liao, C.-J., 676
Lindenhayn, K. See Spitzer, R.-S., 690
Lipp, M. See Kohane, D. S., 450
Liu, X.
—; Ding, C.: Reactivity of plasma-sprayed wollastonite coating in simulated body fluid, 259
LoGerfo, F. W. See Stone, D., 160
Lotan, N. See Kohane, D. S., 450
Louis, D. N. See Kohane, D. S., 450
Lucas, L. C. See Messer, R. L. W., 466

Malinconico, M. See Calandrelli, L., 611
Maniwa, S. See Nishikori, T., 201
Mantero, S.
—; Piuri, D.; Montevecchi, F. M.; Vesentini, S.; Ganazzoli, F.; Raffaini, G.: Albumin adsorption onto pyrolytic carbon: A molecular mechanics approach, 329
Matsuda, T. See Okino, H., 233
Matsuda, T. See Ziani-Cherif, H., 386
Matthew, H. W. T. See VandeVord, P. J., 585
Matz, W. See Pham, M. T., 254
Matz, W. See Pham, M. T., 716
Mayr-Wohlfart, U. See Ziegler, J., 422
Mayton, L. See VandeVord, P. J., 585
Messer, R. L. W.
—; Lucas, L. C.: Localization of metallic ions within gingival fibroblast subcellular fractions, 466
Metzger, D. W. See Supronowicz, P. R., 499
Mi, F.-L.
—; Wu, Y.-B.; Shyu, S.-S.; Schoung, J.-Y.; Huang, Y.-B.; Tsai, Y.-H.; Hao, J.-Y.: Control of wound infections using a bilayer chitosan wound dressing with sustainable antibiotic delivery, 438
Mikos, A. G. See Fisher, J. P., 547
Mikos, A. G. See Temenoff, J. S., 429
Miller, C. A.
—; Kokubo, T.; Reaney, I. M.; Hatton, P. V.; James, P. F.: Formation of apatite layers on modified canasite glass–ceramics in simulated body fluid, 473
Mittelman, M. W. See Woo, G. L. Y., 35
Mochida, Y. See Akisue, T., 507
Momose, T.
—; Amadio, P. C.; Sun, Y.-L.; Zhao, C.; Zobitz, M. E.; Harrington, J. R.; An, K.-N.: Surface modification of extrasynovial tendon by chemically modified hyaluronic acid coating, 219
Montanaro, L. See Arciola, C. R., 557
Montevecchi, F. M. See Mantero, S., 329
Mostardi, R. A.
—; Pentello, A.; Kovacik, M. W.; Askew, M. J.: Prosthetic metals have a variable necrotic threshold in human fibroblasts: An *in vitro* study, 605
Motegi, K. See Kamakura, S., 29
Murphy, B. P.
—; Prendergast, P. J.: The relationship between stress, porosity, and nonlinear damage accumulation in acrylic bone cement, 646
Mustafa, K.
—; Pan, J.; Wroblewski, J.; Leygraf, C.; Arvidson, K.: Electrochemical impedance spectroscopy and X-ray photoelectron spectroscopy analysis of titanium surfaces cultured with osteoblast-like cells derived from human mandibular bone, 655
Myoui, A. See Tamai, N., 110

Na, K. See Park, K.-H., 591
Nagle, R. B. See Kidd, K. R., 366
Nakamura, S. See Kobayashi, T., 595
Nakamura, T. See Shinzato, S., 225
Nakase, T. See Tamai, N., 110
Nakayama, Y. See Okino, H., 233
Nishikori, T.
—; Ochi, M.; Uchio, Y.; Maniwa, S.; Kataoka, H.; Kawasaki, K.; Katsube, K.; Kuriwaka, M.: Effects of low-intensity pulsed ultrasound on proliferation and chondroitin

sulfate synthesis of cultured chondrocytes embedded in Atelocollagen® gel, 201
Nitschke, M.
—; Schmack, G.; Janke, A.; Simon, F.; Pleul, D.; Werner, C.: Low pressure plasma treatment of poly(3-hydroxybutyrate): Toward tailored polymer surfaces for tissue engineering scaffolds, 632
Nof, M.
—; Shea, L. D.: Drug-releasing scaffolds fabricated from drug-loaded microspheres, 349
Nomura, Y. See Yoshioka, M., 56
Noordin, S. See Grottkau, B. E., 288
Nuño, N.
—; Amabili, M.; Groppetti, R.; Rossi, A.: Static coefficient of friction between Ti-6Al-4V and PMMA for cemented hip and knee implants, 191

Ochi, M. See Nishikori, T., 201
Ochi, T. See Tamai, N., 110
Oh, Y.-K. See Park, J.-S., 144
Okano, T. See Collier, T. O., 136
Okazaki, M. See Yoshioka, M., 56
Okido, M. See Kuroda, K., 390
Okino, H.
—; Nakayama, Y.; Tanaka, M.; Matsuda, T.: *In situ* hydrogelation of photocurable gelatin and drug release, 233
Oliva, A. See Calandrelli, L., 611
Ong, J. L.
—; Bessho, K.; Cavin, R.; Carnes, D. L.: Bone response to radio frequency sputtered calcium phosphate implants and titanium implants *in vivo*, 184
Orsello, G. See Calandrelli, L., 611
Oswald, S. See Pham, M. T., 254

Pan, J. See Mustafa, K., 655
Panzavolta, S. See Bigi, A., 709
Park, J.-S.
—; Oh, Y.-K.; Yoon, H.; Kim, J. M.; Kim, C.-K.: *In situ* gelling and mucoadhesive polymer vehicles for controlled intranasal delivery of plasmid DNA, 144
Park, K.-H.
—; Na, K.; Akaike, T.; Lee, K. C.: Probe of specific interaction between a simplified synthetic glycopolymer and erythrocytes as mediated by a glucose transporter (GLUT) on a cell membrane, 591
Park, T. G.
—; Perfusion culture of hepatocytes within galactose-derivatized biodegradable poly(lactide-*co*-glycolide) scaffolds prepared by gas foaming of effervescent salts, 127
Pentello, A. See Mostardi, R. A., 605
Perka, C. See Spitzer, R.-S., 690
Petit, A. See Demers, C. N., 403
Pham, M. T.
—; Matz, W.; Grambole, D.; Herrmann, F.; Reuther, H.; Richter, E.; Steiner, G.: Solution deposition of hydroxyapatite on titanium pretreated with a sodium ion implantation, 716
Pham, M. T.
—; Matz, W.; Reuther, H.; Richter, E.; Steiner, G.; Oswald, S.: Interface-mediated synthesis of hydroxyapatite, 254
Phaneuf, M. See Stone, D., 160
Pidaparti, R. M.
—; Vogt, A.: Experimental investigation of Poisson's ratio as a damage parameter for bone fatigue, 282
Piuri, D. See Mantero, S., 329
Pleul, D. See Nitschke, M., 632
Possart, W. See Velten, D., 18
Prendergast, P. J. See Murphy B. P., 646
Pujol, J.
—; Qi, G.: Reply to Dr. Akkus's comments, 399
Puolakkainen, P. See Vuola, J., 152

Qi, G. See Pujol, J., 399
Quist, W. C. See Stone, D., 160

Raffaini, G. See Mantero, S., 329
Ramírez, E. See Caudillo, M., 378
Reaney, I. M. See Miller, C. A., 473
Reuther, H. See Pham, M. T., 254
Reuther, H. See Pham, M. T., 716
Richter, E. See Pham, M. T., 254
Richter, E. See Pham, M. T., 716
Rossi, A. See Nuño, N., 191
Roveri, N. See Bigi, A., 709
Rubini, K. See Bigi, A., 709
Rudd, C. D. See Gough, J. E., 481
Ryhänen, J. See Kapanen, A., 78

Salacinski, H. J.
—; Tai, N. R.; Carson, R. J.; Edwards, A.; Hamilton, G.; Seifalian, A. M.: *In vitro* stability of a novel compliant poly(carbonate-urea)urethane to oxidative and hydrolytic stress, 207
Santerre, J. P. See Woo, G. L. Y., 35
Sasano, Y. See Kamakura, S., 29
Schaffer, J. L. See Grottkau, B. E., 288
Scharnweber, D. See Becker, D., 516
Schmack, G. See Nitschke, M., 632
Schmökel, H. See Winblade, N. D., 618
Schoung, J.-Y. See Mi, F.-L., 438
Scotchford, C. A. See Gough, J. E., 481
Scotchford, C. A.
—; Gilmore, C. P.; Cooper, E.; Leggett, G. J.; Downes, S.: Protein adsorption and human osteoblast-like cell attachment and growth on alkylthiol on gold self-assembled monolayers, 84
Seifalian, A. M. See Salacinski, H. J., 207
Seo, W. S. See Zhu, P. X., 294
Sepulveda, P.
—; Jones, J. R.; Hench, L. L.: Bioactive sol-gel foams for tissue repair, 340
Shea, L. D. See Nof, M., 349
Shimizu, T. See Kamakura, S., 29
Shintani, H. See Yoshioka, M., 56
Shinzato, S.
—; Nakamura, T.; Kokubo, T.; Kitamura, Y.: PMMA-based bioactive cement: Effect of glass bead filler content and histological change with time, 225
Shortkroff, S. See Grottkau, B. E., 288
Shyu, S.-S. See Mi, F.-L., 438
Sierra, D. H.
—; Eberhardt, A. W.; Lemons, J. E.: Failure characteristics of multiple-component fibrin-based adhesives, 1
Sigurdson, L.
—; Carney, D. E.; Hou, Y.; Hall, L., III; Hard, R.; Hicks, W., Jr.; Bright, F. V.; Gardella, J. A., Jr.: A comparative study of primary and immortalized cell adhesion characteristics to modified polymer surfaces: Toward the goal of effective re-epithelialization, 357
Simon, F. See Nitschke, M., 632
Sivamurthy, N. See Stone, D., 160
Skrtic, D.
—; Antonucci, J. M.; Eanes, E. D.; Brunworth, R. T.: Silica- and zirconia-hybridized amorphous calcium phosphate: Effect on transformation to hydroxyapatite, 597
Smith, R. A. See Charlebois, S. J., 166
Solen, K. A. See Hall, M. W., 528
Spector, M. See Grottkau, B. E., 288
Spencer, P. See Wang, Y., 46
Spitzer, R.-S.
—; Perka, C.; Lindenhayn, K.; Zippel, H.: Matrix engineering for osteogenic differentiation of rabbit periosteal cells using α-tricalcium phosphate particles in a three-dimensional fibrin culture, 690

Steiner, G. See Pham, M. T., 254
Steiner, G. See Pham, M. T., 716
Stern, T. See Cohn, D., 273
Stone, D.
—; Phaneuf, M.; Sivamurthy, N.; LoGerfo, F. W.; Quist, W. C.: A biologically active VEGF construct *in vitro*: Implications for bioengineering-improved prosthetic vascular grafts, 160
Sun, J.-S.
—; Huang, Y.-C.; Tsuang, Y.-H.; Chen, L.-T.; Lin, F.-H.: Sintered dicalcium pyrophosphate increases bone mass in ovariectomized rats, 246
Sun, Y.-L. See Momose, T., 219
Supronowicz, P. R.
—; Ajayan, P. M.; Ullmann, K. R.; Arulanandam, B. P.; Metzger, D. W.; Bizios, R.: Novel current-conducting composite substrates for exposing osteoblasts to alternating current stimulation, 499
Suzuki, O. See Kamakura, S., 29

Tabrizian, M. See Demers, C. N., 403
Tai, K.-W. See Huang, F.-M., 460
Tai, K.-W.
—; Huang, F.-M.; Huang, M.-S.; Chang, Y.-C.: Assessment of the genotoxicity of resin and zinc-oxide eugenol-based root canal sealers using an *in vitro* mammalian test system, 73
Tai, N. R. See Salacinski, H. J., 207
Takai, O. See Kuroda, K., 390
Tamai, N.
—; Myoui, A.; Tomita, T.; Nakase, T.; Tanaka, J.; Ochi, T.; Yoshikawa, H.: Novel hydroxyapatite ceramics with an interconnective porous structure exhibit superior osteoconduction *in vivo*, 110
Tanaka, J. See Tamai, N., 110
Tanaka, M. See Okino, H., 233
Temenoff, J. S.
—; Athanasiou, K. A.; LeBaron, R. G.; Mikos, A. G.: Effect of poly(ethylene glycol) molecular weight on tensile and swelling properties of oligo(poly(ethylene glycol) fumarate) hydrogels for cartilage tissue engineering, 429
Thornhill, T. S. See Grottkau, B. E., 288
Tomita, T. See Tamai, N., 110
Tsai, Y.-H. See Mi, F.-L., 438
Tsuang, Y.-H. See Sun, J.-S., 246
Tuukkanen, J. See Kapanen, A., 78

Uchio, Y. See Nishikori, T., 201
Ullmann, K. R. See Supronowicz, P. R., 499

Väänänen, H. K. See Kapanen, A., 78
Valentini, R. F. See Kim, H. D., 573
Valeske, B. See Velten, D., 18
van der Waerden, J. P. C. M. See Fisher, J. P., 547
Van Meerbeek, B. See Yoshioka, M., 56
van Waas, M. A. J. See Blom, E. J., 265
VandeVord, P. J.
—; Matthew, H. W. T.; DeSilva, S. P.; Mayton, L.; Wu, B.; Wooley, P. H.: Evaluation of the biocompatibility of a chitosan scaffold in mice, 585
Vanherle, G. See Yoshioka, M., 56
Vehof, J. W. M. See Fisher, J. P., 547
Velten, D.
—; Biehl, V.; Aubertin, F.; Valeske, B.; Possart, W.; Breme, J.: Preparation of TiO_2 layers on cp-Ti and Ti6Al4V by thermal and anodic oxidation and by sol-gel coating techniques and their characterization, 18
Vesentini, S. See Mantero, S., 329
Vogt, A. See Pidaparti, R. M., 282
Volpe, M. G. See Calandrelli, L., 611
Vuola, J.
—; Böhling, T.; Göransson, H.; Puolakkainen, P.: Transforming growth factor β released from natural coral implant enhances bone growth at calvarium of mature rat, 152

Wang, Y.
—; Spencer, P.: Quantifying adhesive penetration in adhesive/dentin interface using confocal Raman microspectroscopy, 46
Wang, Y. J. See Chang, S. J., 118
Webster, T. J. See Ergun, C., 305
Webster, T. J.
—; Ergun, C.; Doremus, R. H.; Bizios, R.: Hydroxylapatite with substituted magnesium, zinc, cadmium, and yttrium. II. Mechanisms of osteoblast adhesion, 312
Wenzel, K.-W. See Becker, D., 516
Werner, C. See Nitschke, M., 632
Williams, S. K. See Kidd, K. R., 366
Williams, S. K. See Kidd, K. R., 682
Winblade, N. D.
—; Schmökel, H.; Baumann, M.; Hoffman, A. S.; Hubbell, J. A.: Sterically blocking adhesion of cells to biological surfaces with a surface-active copolymer containing poly(ethylene glycol) and phenylboronic acid, 618
Winn, S. R. See Hu, Y., 563
Wixson, R. L. See Hasenwinkel, J. M., 411
Wolke, J. G. C. See Blom, E. J., 265

Woo, G. L. Y.
—; Yang, M. L.; Yin, H. Q.; Jaffer, F.; Mittelman, M. W.; Santerre, J. P.: Biological characterization of a novel biodegradable antimicrobial polymer synthesized with fluoroquinolones, 35
Wooley, P. H. See VandeVord, P. J., 585
Worch, H. See Becker, D., 516
Wroblewski, J. See Mustafa, K., 655
Wu, B. See VandeVord, P. J., 585
Wu, Y.-B. See Mi, F.-L., 438

Yahia, L'H. See Demers, C. N., 403
Yamamoto, A.
—; Kohyama, Y.; Hanawa, T.: Mutagenicity evaluation of forty-one metal salts by the *umu* test, 176
Yamashita, K. See Kobayashi, T., 595
Yang, M. L. See Woo, G. L. Y., 35
Yasunaga, Y. See Hisatome, T., 490
Yin, H. Q. See Woo, G. L. Y., 35
Yokogawa, Y. See Zhu, P. X., 294
Yoon, H. See Park, J.-S., 144
Yoshida, Y. See Yoshioka, M., 56
Yoshikawa, H. See Tamai, N., 110
Yoshioka, M.
—; Yoshida, Y.; Inoue, S.; Lambrechts, P.; Vanherle, G.; Nomura, Y.; Okazaki, M.; Shintani, H.; Van Meerbeek, B.: Adhesion/decalcification mechanisms of acid interactions with human hard tissues, 56

Zappia, V. See Calandrelli, L., 611
Zhang, X. D. See Feng, B., 12
Zhang, Y.
—; Chu, C.-C.: Biodegradable dextran–polylactide hydrogel networks: Their swelling, morphology and the controlled release of indomethacin, 318
Zhao, C. See Momose, T., 219
Zhu, P. X.
—; Ishikawa, M.; Seo, W. S.; Hozumi, A.; Yokogawa, Y.; Koumoto, K.: Nucleation and growth of hydroxyapatite on an amino organosilane overlayer, 294
Ziani-Cherif, H.
—; Abe, Y.; Imachi, K.; Matsuda, T.: Visible-light-induced surface graft polymerization via camphorquinone impregnation technique, 386
Ziegler, J.
—; Mayr-Wohlfart, U.; Kessler, S.; Breitig, D.; Günther, K.-P.: Adsorption and release properties of growth factors from biodegradable implants, 422
Zippel, H. See Spitzer, R.-S., 690
Zobitz, M. E. See Momose, T., 219

Journal of Biomedical Materials Research
Subject Index—Volume 59

Acids, 56
AD-concept, 56
Adhesion, 312
Adhesion/decalcification concept, 56
Adhesive, 46
Adsorption, 422
Albumin, 84, 329
Alendronate, 246
Alginate, block copolymer, 118
Aliphatic polyesters, 611
Alkylthiol self-assembled monolayers, 84
Alloys, 466
Amino organosilane overlayer, 294
Ammonia plasma, 632
Amorphous calcium phosphate, 597
Angiogenesis, 366, 682
Anodic oxidation, 18
Antimicrobial, 35
Antimicrobial activity, 438
Antler, 78
Apatite, 473, 535
Apatite coating, 12
Arthroplasty, 605
Articular cartilage, 490
ASTM F-75 alloy, 378
Atelocollagen®, 201

β-tricalcium phosphate, 29
Bacteria, 35
Bilayer wound dressing, 438
Bioactive, 225
Bioactivity, 340, 473, 535, 697, 709
Biocompatibility, 118, 450, 547, 585, 611
Biodegradable, 563
Biodegradable implants, 422
Biodegradable polymer, 127, 535
Biodegradable polymers, 632, 676
Biodegradation, 35, 152, 273, 318, 547
Biomaterials, 160, 176, 528
Biomimetic coating, 535
Biomimetics, 709
Bioprosthesis, 639
Bioreactor, 127
Biphasic hydrogel, 429
Bisphenol A diglyether, 73
Block copolymer, 273
BMP-3b, 78
Bond strength, 12
Bone, 166, 282
Bone cement, 191, 411, 646
Bone defect, 29
Bone grafts, 340
Bone mass, 246
Bone morphogenetic protein 2, 573
Bone regeneration, 563
Bone repair, 29
Bone substitute, 152
Bovine serum albumin, 160
Bupivacaine, 450

c-*fos*, 460
c-*jun*, 460
Calcification, 639
Calcium carbonate, 152
Calcium hydroxyapatite ceramics, 110
Calcium phosphate, 184, 390
Calcium phosphate cement, 265, 490
Calcium-to-phosphorus ratio, 265
Camphorquione, 386
Canasite, 473
Carbide, 378
Carbon nanotubes, 499
Carbonate, 697
Carbonate-containing hydroxyapatite, 259
Carcinogenicity, 176
Cardiovascular biomaterials, 100
Cartilage, 63
Cartilage tissue engineering, 429
Catheter infection, 557
Cell adhesion, 357, 618
Cell, matrix, 639
Cell-surface interaction, 84
Chitosan, 438, 585
Chondrocyte, 201
Ciprofloxacin, 35
Coating, 219, 254
Cobalt chrome alloy, 166
Coefficient of friction, 191
Collagen type I coating, 516
Compliant poly(carbonate-urea) urethane, 207
Composite, 282
Composites, 709
Compression strength, 110, 265
Controlled release, 450
Coral, 152
Coral degradation, 403
Coral particles, 403
Corrosion resistance, 18
Craniofacial bone repair, 481
Crosslinkers, 160
Crystallinity, 265
Culture, 201
Current-conducting biomaterials, 499
Cytokine, 605
Cytokines, 166, 507
Cytotoxicity, 35, 73, 466

Damage, 282
Damage accumulation, 646
Deformation, 665
Degradable, 481
Dentin, 46
Deposition process, 390
Detachment, 665
Dextran, 318
Differentiation, 516
Doped, 312
Doped ceramic, 305
Drug delivery, 349
Drug polymer, 35
Drug release, 318

Electrical impedance, 100
Electrical stimulation, 499
Electrochemical impedance spectroscopy (EIS), 655
Electrostatic interaction, 294
Embolism, 528
Endothelial cells, 160
Endothelium, 366
Endotoxin, 507
Enzyme, 35
Epoxy resin, 460
ePTFE, 366
Erythrocyte membrane, 100
Erythrocyte surface charge, 100
Erythrocytes, 591
Extracellular matrix, 366

Fatigue, 282, 411, 646
Fibrin, 1, 690
Fibroblast, necrosis, 605

Fibronectin, 84, 665
Flexor tendon, 219
Fluorescence intensity, 591
Fluoropolymer, 357
Foam, 340
Foam-gel technique, 110
Foreign body giant cell (FBGC) formation, 136
Formaldehyde, 73, 460
Fracture mechanics, 1
Fracture toughness, 411

Galactose, 127
Gas foaming, 349
Gelatin sponges, 709
Genotoxicity, 73, 176
Glass, 225
Glass–ceramic, 473
Gliding resistance, 219
Glucose transporter, 591
Glutaraldehyde, 639
Glycopolymer, 591
Graft copolymer, 618
Growth, 294
Growth factor delivery system, 403
Growth factors, 422

Heat treatment, 184
Heat-treatment, 12
Heparin coating, 528
Hepatocytes, 127
Heterotopic bone formation, 78
Histology, 184
Homogeneous and heterogeneous nucleation, 294
Human hard tissues, 56
Human osteoblasts, 611
Hyaluronic acid, 219, 573
Hybridization, 597
Hydrogel, 233, 318
Hydrogel material properties, 429
Hydrogels, 63
Hydrolytic, oxidative, peroxidative, and plasma-fraction-led degradation, 207
Hydroxyapatite, 29, 56, 254, 294, 697, 709, 716
Hydroxylapatite, 305, 312
Hydroxypatite, 390
Hypothermia, 528

ica locus, 557
Immune response, 585
Implantation, 585
In situ gelling, 144
In situ polymerizable hydrogel, 429
Indomethacin, 318
Inflammation, 450
Inflammatory response, 166
Interconnected pore, 110
Interface, 46
Ion implantation, 254, 716
Ionic substitution, 305
Isothermal microcalorimetry, 166

Kinetics, 378

Local drug delivery, 233
Location, 466

Macrophage, 166, 288, 481
Macrophage adhesions, 136
Macrophages, 507
Matrix, 690
Mechanical properties, 1
Mechanical property, 225
Mechanical strain, 288
Metal, 466
Metal debris, 605
Metal ions, 176
Mice, 585
Microcapsules, 118
Microstructure, 265, 305
Miner's law, 646
Mineralization, 516
Molecular mechanics, 329
Molecular modeling, 329
Monocytes, 136
Morphology, 318
Mucoadhesive polymers, 144

Nasal absorption, 144
Natural hydroxyapatite, 611
Neovascularization, 682
Nonviral DNA, 349
Nuclear factor kappa B, 507
Nucleation, 716

Octacalcium phosphate, 29
Orthopedic implants, 254
Osteoblast, 84, 312, 481, 516
Osteoblast functions, 499
Osteoblasts, 655
Osteoconduction, 110
Osteoconductivity, 225
Osteolysis, 166
Osteoporosis, 246
Ovariectomy, 246

Particulates, 166
Periosteal cells, 690
Phagocytosis, 288
Phase separation, 563
Phenylboronic acid, 618
Photocrosslinking, 318
Photopolymerization, 63
Photoreactive gelatin, 233
Plasma spraying, 259
Plasmid DNA, 144
Pluripotent stem cell, 573
Poly(α-hydroxy acid), 563
Poly(caprolactone), 273
Poly(ethylene glycol), 63, 273
Poly(ethylene glycol) (PEG), 429
Poly(ethylene oxide), 273
Poly(3-hydroxybutyrate), 632
Poly(lactide-*co*-glycolide), 349
Poly(methyl methacrylate) (PMMA), 411
Poly(propylene fumarate), 547
Polyactive® 1000/70/30, 535
Polyethylene glycol, 618
Polyethylene glycol (PEG), 118
Polylactide, 318
Polymer network, 318
Polymer scaffolds, 547
Polymerase chain reaction (PCR), 557
Polymeric implants, 682
Polymethyl methacrylate (PMMA), 225
Polymethylmethacrylate, 490, 646
Polyurethane, 35, 273
Porosity, 646
Porous ceramics, 340
Porous scaffolds, 676
Postsurgical adhesions, 618
pQCT, 78
Precalcification, 12
Precipitation, 390
Primary cells, 357
Prolonged duration local anesthesia, 450
Prostaglandin, 288
Protein adsorption, 329, 403
Protooncogene, 460
PVA, 357
Pyrolytic carbon, 329

Rabbit cranial defect model, 547
Radial-flow chamber, 665
Raman spectroscopy, 46
Recombinant human transforming growth factor-β1 (rhTGF-β1), 265
Reindeer, 78
Release, 265, 422
Residual monomer, 411
Root canal sealer, 73
Root-canal sealer, 460

Scaffold, 573
Scaffolds, 563
Sciatic nerve, 450
Setting time, 265
Silica, 597
Silica-rich layer, 259
Silver sulfadiazine, 438
Simulated body fluid, 259, 473
Sintered dicalcium pyrophosphate, 246
Sintering, 697
Slime, 557
Sodium phosphate glass, 481
Sol-gel process, 18
Solution treatment, 378
SOS response, 176
Specific interaction, 591

Sputter coatings, 184
Staphylococcus epidermidis, 557
Stiffness, 282
Subcellular, 466
Subchondral replacement, 490
Surface chemistry, 84
Surface modification, 127, 632
Surface photograft polymerization technique, 386
Surface roughness, 655
Swelling, 318
Synthetic bone graft, 697

Temperature-responsive surfaces, 136
Test methods, 1
THA, 191
Thermal oxidation, 18
Thermal substrate method, 390
Ti-6Al-4V alloy, 191
Tissue adhesive, 1
Tissue engineering, 63, 219, 340, 349, 357, 547, 585, 632, 676, 690
Tissue responses, 682
Titanium, 12, 166, 254, 655, 716
Titanium alloy, 516
Titanium oxide layer, 18
TKA, 191
Transforming growth factor β, 152
Transforming growth factor beta 1, 403
Transplantation, 201
Tricalcium phosphate, 690

UHMWPE, 166
Ultimate interfacial strength, 184
Ultrasound, 201

Vascular grafts, 207
VEGF, 160
Viscoelasticity, 207
Visible-light irradiation, 233

Wear debris, 507
Wollastonite coating, 259
Wound infection, 438

X-ray photoelectron spectroscopy, 386
X-ray photoelectron spectroscopy (XPS), 655

Yttrium, 305, 312

Zirconia, 597